Journal of Electronic Packaging

Author Index

All authors of papers published in this volume are listed alphabetically. Full titles are included in each first author's entry. Letters in parentheses follow some of the page numbers: TB indicates Technical Brief, E indicates Errata, and BR indicates Book Review.

Amon, Cristina H. — (see Egan, Eric) **122,** 98–106

Bailey, C. — (see Lu, Hua) **122,** 214–219
Bayyuk, S. — (see Nguyen, L.) **122,** 138–146
Behnia, Masud — (see Nakayama, Wataru) **122,** 132–137
Bhattacharya, Swapan K. — (see Dang, Anh X. H.) **122,** 77–85
____ (see Dang, Anh X. H.) **122,** 86–91
Bidstrup-Allen, S. A. — (see Nguyen, L.) **122,** 138–146
Brignoni, Luis A., and Garimella, Suresh V. — Heat Transfer From a Finned Surface in Ducted Air Jet Suction and Impingement. **122,** 282–285(TB)

Chakrabarti, Ashok — (see Im, Jang-hi) **122,** 28–33
Chan, Y. C. — (see Yu, Z. Q.) **122,** 172–177
Chandra, A., Huang, Y., Jiang, Z. Q., Hu, K. X., and Fu, G. — A Model of Crack Nucleation in Layered Electronic Assemblies Under Thermal Cycling. **122,** 220–226
Chang, Chi Shih — (see Suhir, Ephraim) **122,** 1–2
Chang, Chris — (see Lau, John H.) **122,** 311–316
Chung, D. D. L. — (see Xu, Yunsheng) **122,** 128–131
Cole, Reena — (see Davies, Mark R. D.) **122,** 185–191
Conway, H. D. — (see Hui, C. Y.) **122,** 267–273
Cross, M. — (see Lu, Hua) **122,** 214–219
Cui, C., Huang, X. Y., and Liu, C. Y. — The Green Function and Its Application to Heat Transfer in a Low Permeability Porous Channel. **122,** 274–278
Culham, J. R., Yovanovich, M. M., and Lemczyk, T. F. — Thermal Characterization of Electronic Packages Using a Three-Dimensional Fourier Series Solution. **122,** 233–239
Curphy, James — (see Im, Jang-hi) **122,** 28–33

Dang, Anh X. H., Ume, I. Charles, and Bhattacharya, Swapan K. — Measurement of Dynamic Warpage During Thermal Cycling of Dielectric Coated SS Substrates for Large Area MCM-D Packaging. **122,** 77–85
____, **Ume, I. Charles, and Bhattacharya, Swapan K.** — A Study on Warpage of Flexible SS Substrates for Large Area MCM-D Packaging. **122,** 86–91
Davies, Mark R. D., Cole, Reena, and Lohan, John — Factors Affecting the Operational Thermal Resistance of Electronic Components. **122,** 185–191
Deshpande, A., and Subbarayan, G. — LGA Connectors: An Automated Design Technique for a Shrinking Design Space. **122,** 247–254
Deshpande, Anand M., and Subbarayan, Ganesh — Decomposition Techniques for the Efficient Analysis of Area-Array Packages. **122,** 13–19
____, **Subbarayan, Ganesh, and Rose, Dan** — A System for First Order Reliability Estimation of Solder Joints in Area Array Packages. **122,** 6–12

Egan, Eric, and Amon, Cristina H. — Thermal Management Strategies for Embedded Electronic Components of Wearable Computers. **122,** 98–106
Elperin, T., Kornilov, A., and Rudin, G. — Formation of Surface Microcrack for Separation of Nonmetallic Wafers Into Chips. **122,** 317–322

Fabis, Philip M., and Windischmann, Henry — Thermal Management Enhancement for GaAs Devices Using CVD Diamond Heat Spreaders in a Plastic Package Environment. **122,** 92–97
Fisher, T. S. — (see Thrasher, W. W.) **122,** 350–355
Freytag, J. — (see Shi, J. Z.) **122,** 168–171
Froelicher, Steve — (see Im, Jang-hi) **122,** 28–33
Fu, G. — (see Chandra, A.) **122,** 220–226
Fu, Shen-Li — (see Huang, Yu-Jung) **122,** 115–120

Garimella, Suresh V. — (see Brignoni, Luis A.) **122,** 282–285(TB)
Ghaffarian, Reza — Accelerated Thermal Cycling and Failure Mechanisms for BGA and CSP Assemblies. **122,** 335–340
Gil, Guy F. — (see Queipo, Nestor V.) **122,** 152–159
Guo, Yifan — (see Wu, Zhu) **122,** 262–266

Han, B., and Kunthong, P. — Micro-Mechanical Deformation Analysis of Surface Laminar Circuit in Organic Flip-Chip Package: An Experimental Study. **122,** 294–300
____ (see Verma, K.) **122,** 227–232
Han, S., and Wang, K. K. — Flow Analysis in a Chip Cavity During Semiconductor Encapsulation. **122,** 160–167
Han, Sejin, and Wang, K. K. — Integrated Flow Analysis During Filling and Post-Filling Stage of Semiconductor Encapsulation. **122,** 20–27
Hanmer, Robert S. — Software "Reliability"? **122,** 357–359
Hawn, David — (see Im, Jang-hi) **122,** 28–33
Heinrich, S. M., Shakya, S., Liang, J., and Lee, P. S. — An Analytical Model for Time-Dependent Shearing Deformation in Area-Array Interconnects. **122,** 328–334
Hetzner, Jack — (see Im, Jang-hi) **122,** 28–33
Hu, K. X. — (see Chandra, A.) **122,** 220–226
Huang, X. Y. — (see Cui, C.) **122,** 274–278
Huang, Y. — (see Chandra, A.) **122,** 220–226
Huang, Yu-Jung, and Fu, Shen-Li — Thermal Placement Design for MCM Applications. **122,** 115–120
Hui, C. Y., Conway, H. D., and Lin, Y. Y. — A Reexamination of Residual Stresses in Thin Films and of the Validity of Stoney's Estimate. **122,** 267–273

Im, Jang-hi, Shaffer, Edward O., II , Stokich, Theodore, Jr. , Strandjord, Andrew, Hetzner, Jack, Curphy, James, Karas, Cheryl, Meyers, Greg, Hawn, David, Chakrabarti, Ashok,

and Froelicher, Steve — On the Mechanical Reliability of Photo-BCB-Based Thin Film Dielectric Polymer for Electronic Packaging Applications. **122,** 28–33

Jiang, Z. Q. — (see Chandra, A.) **122,** 220–226

Kao, Ching-Hsing — (see Lwo, Ben-Je) **122,** 42–47
Karas, Cheryl — (see Im, Jang-hi) **122,** 28–33
Komatsu, T. — (see Kondo, Y.) **122,** 240–246
Kondo, Y., Matsushima, H., and Komatsu, T. — Optimization of Pin-Fin Heat Sinks for Impingement Cooling of Electronic Packages. **122,** 240–246
Kornilov, A. — (see Elperin, T.) **122,** 317–322
Kuhl, Adam, and Qu, Jianmin — A Technique to Measure Interfacial Toughness Over a Range of Phase Angles. **122,** 147–151
Kunthong, P. — (see Han, B.) **122,** 294–300

Lam, David C. C. — (see Yeung, Dickson T. S.) **122,** 67–72
Lau, John H., and Lee, S. W. Ricky — Temperature-Dependent Popcorning Analysis of Plastic Ball Grid Array Package During Solder Reflow With Fracture Mechanics Method. **122,** 34–41
____, **and Lee, S.-W. Ricky** — Fracture Mechanics Analysis of Low Cost Solder Bumped Flip Chip Assemblies With *Imperfect* Underfills. **122,** 306–310
____, **Lee, S.-W. Ricky, and Chang, Chris** — Solder Joint Reliability of Wafer Level Chip Scale Packages (WLCSP): A Time-Temperature-Dependent Creep Analysis. **122,** 311–316
Lee, P. S. — (see Heinrich, S. M.) **122,** 328–334
Lee, S-W. Ricky — (see Zhang, Xiaowu) **122,** 200–206
Lee, S. W. Ricky — (see Lau, John H.) **122,** 34–41
Lee, S.-W. Ricky — (see Lau, John H.) **122,** 306–310
____ (see Lau, John H.) **122,** 311–316
Lee, W. — (see Nguyen, L.) **122,** 138–146
Lemczyk, T. F. — (see Culham, J. R.) **122,** 233–239
Li, G. Y. — (see Yu, Z. Q.) **122,** 172–177
Liang, J. — (see Heinrich, S. M.) **122,** 328–334
Lim, G. H. — (see Ong, J. H.) **122,** 341–349
Lin, Y. Y. — (see Hui, C. Y.) **122,** 267–273
Liu, C. Y. — (see Cui, C.) **122,** 274–278
Lohan, John — (see Davies, Mark R. D.) **122,** 185–191
Lu, Hua, Bailey, C., and Cross, M. — Reliability Analysis of Flip Chip Designs Via Computer Simulation. **122,** 214–219
Lu, Jian — (see Wu, Zhu) **122,** 262–266
Lu, Luke Su — (see Lwo, Ben-Je) **122,** 42–47
Luo, Xiangcheng — (see Xu, Yunsheng) **122,** 128–131
Lwo, Ben-Je, Tseng, Kun-Fu, Kao, Ching-Hsing, and Lu, Luke Su — Over-Temperature Forecasts on Electronic Packages Through a Transient R–C Model. **122,** 42–47

Matsushima, H. — (see Kondo, Y.) **122,** 240–246
McKeown, Stephen A., Author, and Rafanelli, A. J., Reviewer — Mechanical Analysis of Electronic Packaging Systems. **122,** 73(BR)
Messler, R. W., Jr. — (see Palmer, M. A.) **122,** 48–54
Meyers, Greg — (see Im, Jang-hi) **122,** 28–33
Mirman, Boris — Lead-On-Chip *Versus* Chip-On-Lead Packages and Solder Failure Criteria. **122,** 279–280(TB)
____ Tools for Stress Analysis of Microelectronic Structures. **122,** 280–282(TB)
Mishima, Hiroaki — (see Nakayama, Wataru) **122,** 132–137

Nakayama, Wataru, Behnia, Masud, and Mishima, Hiroaki — Impinging Jet Boiling of a Fluorinert Liquid on a Foil Heater Array. **122,** 132–137
Nguyen, L., Quentin, C., Lee, W., Bayyuk, S., Bidstrup-Allen, S. A., and Wang, S.-T. — Computational Modeling and Validation of the Encapsulation of Plastic Packages by Transfer Molding. **122,** 138–146
Nied, H. F. — (see Xu, A. Q.) **122,** 301–305
Nishimura, Hideo — (see Tsukada, Yutaka) **122,** 207–213

Ohnami, Masateru — (see Tsukada, Yutaka) **122,** 207–213
Ong, J. H., and Lim, G. H. — A Simple Technique for Maximizing the Fundamental Frequency of Vibrating Structures. **122,** 341–349

Palmer, M. A., Redmond, P. E., and Messler, R. W., Jr. — Thermomechanical Fatigue Testing and Analysis of Solder Alloys. **122,** 48–54
Pang, H. L. J. — (see Shi, X. Q.) **122,** 74(E)
Pang, John H. L., Seetoh, C. W., and Wang, Z. P. — CBGA Solder Joint Reliability Evaluation Based on Elastic-Plastic-Creep Analysis. **122,** 255–261
Pao, Yi-Hsin — (see Zhang, Xiaowu) **122,** 200–206
Pecht, Michael, and Rafanelli, Anthony J. — Handbook of Electronic Package Design. **122,** 178–179(BR)
Pike, Randy T. — (see Wu, Jiali) **122,** 55–60

Qu, Jianmin — (see Kuhl, Adam) **122,** 147–151
Queipo, Nestor V., and Gil, Guy F. — Multiobjective Optimal Placement of Convectively and Conductively Cooled Electronic Components on Printed Wiring Boards. **122,** 152–159
Quentin, C. — (see Nguyen, L.) **122,** 138–146

Rafanelli, A. J., Reviewer — (see McKeown, Stephen A., Author) **122,** 73(BR)
Rafanelli, Anthony J. — (see Pecht, Michael) **122,** 178–179(BR)
Redmond, P. E. — (see Palmer, M. A.) **122,** 48–54
Refai-Ahmed, G., and Yovanovich, M. M. — Thermal Management of Surface Mount Power Magnetic Components. **122,** 323–327
Rose, Dan — (see Deshpande, Anand M.) **122,** 6–12
Ru, C. Q. — Stress Analysis of Thermal Inclusions With Interior Voids and Cracks. **122,** 192–199
Rudin, G. — (see Elperin, T.) **122,** 317–322

Sakane, Masao — (see Tsukada, Yutaka) **122,** 207–213
Sammakia, Bahgat G. — (see Sathe, Sanjeev B.) **122,** 107–114
Sathe, Sanjeev B., and Sammakia, Bahgat G. — A Numerical Study of the Thermal Performance of a Tape Ball Grid Array (TBGA) Package. **122,** 107–114
Seetoh, C. W. — (see Pang, John H. L.) **122,** 255–261
Shaffer, Edward O., II — (see Im, Jang-hi) **122,** 28–33
Shakya, S. — (see Heinrich, S. M.) **122,** 328–334
Shi, J. Z., Xie, X. M., Stubhan, F., and Freytag, J. — A Novel High Performance Die Attach for Ceramic Packages. **122,** 168–171
Shi, X. Q., Zhou, W., Pang, H. L. J., and Wang, Z. P. — Erratum: "Effect of Temperature and Strain Rate on Mechanical Properties of 63Sn/37Pb Solder Alloy" [ASME J. Electron. Packag., **121**, pp. 179–185]. **122,** 74(E)
Sitaraman, S. K. — (see Wu, Jiali) **122,** 55–60
Sitaraman, Suresh K. — (see Variyam, Manjula N.) **122,** 121–127
____ (see Xie, Weidong) **122,** 61–66
Stokich, Theodore, Jr. — (see Im, Jang-hi) **122,** 28–33
Strandjord, Andrew — (see Im, Jang-hi) **122,** 28–33

Stubhan, F. — (see Shi, J. Z.) **122,** 168–171
Subbarayan, G. — (see Deshpande, A.) **122,** 247–254
Subbarayan, Ganesh — (see Deshpande, Anand M.) **122,** 6–12
____ (see Deshpande, Anand M.) **122,** 13–19
Suhir, Ephraim — Predicted Fundamental Vibration Frequency of a Heavy Electronic Component Mounted on a Printed Circuit Board. **122,** 3–5
____, **and Chang, Chi Shih** — Editor's Note. **122,** 1–2
Suhir, Editor, E. — New Section in the Journal: Reliability. **122,** 356

Thrasher, W. W., Fisher, T. S., and Torrance, K. E. — Experiments on Chimney-Enhanced Free Convection From Pin-Fin Heat Sinks. **122,** 350–355
Torrance, K. E. — (see Thrasher, W. W.) **122,** 350–355
Tseng, Kun-Fu — (see Lwo, Ben-Je) **122,** 42–47
Tsukada, Yutaka, Nishimura, Hideo, Sakane, Masao, and Ohnami, Masateru — Fatigue Life Analysis of Solder Joints in Flip Chip Bonding. **122,** 207–213

Ume, I. Charles — (see Dang, Anh X. H.) **122,** 77–85
____ (see Dang, Anh X. H.) **122,** 86–91

Variyam, Manjula N., Xie, Weidong, and Sitaraman, Suresh K. — Role of Out-of-Plane Coefficient of Thermal Expansion in Electronic Packaging Modeling. **122,** 121–127
Verma, K., and Han, B. — Warpage Measurement on Dielectric Rough Surfaces of Microelectronics Devices by Far Infrared Fizeau Interferometry. **122,** 227–232

Wang, K. K. — (see Han, S.) **122,** 160–167
____ (see Han, Sejin) **122,** 20–27
Wang, S.-T. — (see Nguyen, L.) **122,** 138–146
Wang, Z. P. — (see Pang, John H. L.) **122,** 255–261
____ (see Shi, X. Q.) **122,** 74(E)
Webb, D. P. — (see Yu, Z. Q.) **122,** 172–177
Windischmann, Henry — (see Fabis, Philip M.) **122,** 92–97
Wong, C. P. — (see Wu, Jiali) **122,** 55–60
Wu, Jiali, Pike, Randy T., Sitaraman, S. K., and Wong, C. P. — New Reworkable High Temperature Low Modulus (in Excess of 400–500 °C) Adhesives for MCM-D Assembly. **122,** 55–60
Wu, Zhu, Lu, Jian, and Guo, Yifan — A Study of Process-Induced Residual Stress in PBGA Packages. **122,** 262–266

Xie, Weidong, and Sitaraman, Suresh K. — Interfacial Thermal Stress Analysis of Anisotropic Multi-Layered Electronic Packaging Structures. **122,** 61–66
____ (see Variyam, Manjula N.) **122,** 121–127
Xie, X. M. — (see Shi, J. Z.) **122,** 168–171
Xu, A. Q., and Nied, H. F. — Finite Element Analysis of Stress Singularities in Attached Flip Chip Packages. **122,** 301–305
Xu, Yunsheng, Luo, Xiangcheng, and Chung, D. D. L. — Sodium Silicate Based Thermal Interface Material for High Thermal Contact Conductance. **122,** 128–131

Yeung, Dickson T. S., Lam, David C. C., and Yuen, Matthew M. F. — Specimen Design for Mixed Mode Interfacial Fracture Properties Measurement in Electronic Packages. **122,** 67–72
Yovanovich, M. M. — (see Culham, J. R.) **122,** 233–239
____ (see Refai-Ahmed, G.) **122,** 323–327
Yu, Z. Q., Chan, Y. C., Webb, D. P., and Li, G. Y. — Nondestructive Evaluation of Ceramic Substrate With Embedded Passive Components by SAM. **122,** 172–177
Yuen, Matthew M. F. — (see Yeung, Dickson T. S.) **122,** 67–72

Zhang, Xiaowu, Lee, S-W. Ricky, and Pao, Yi-Hsin — A Damage Evolution Model for Thermal Fatigue Analysis of Solder Joints. **122,** 200–206
Zhou, W. — (see Shi, X. Q.) **122,** 74(E)